



ClimaPro

Product Portfolio



ClimaPro

An aerial photograph of a grey metal outdoor HVAC unit. The unit has a large, flat, corrugated metal top with a rain cap. Below the top, there are several access panels and a door. The unit is mounted on a dark, textured surface, possibly a concrete pad. The background shows a grey metal building wall with horizontal siding.

OUTDOOR UNITS

PRODUCT RANGE

- Air amount 10 – 60 m^3/s
- Filtration, heaters, coolers
- Plug fans, heat recovery, heat pumps

OUTDOOR UNITS, HEAT RECOVERY:

Supply and exhaust air


- 10RW
- 20RW
- 30RW

OUTDOOR UNITS SUPPLY AIR:

- 10S (Container version)
- 20S
- 40S
- 60S

OUTDOOR UNITS ONE OFF:

- Specification according to customer's requirements



HEAT RECOVERY UNIT

- 10RW
- 20RW
- 30RW

OPTIONS:


- Heating and cooling
- Heat pump solutions
- Humidifier
- Bag filters G3,M5,F7,F9
- HEPA filter
- Chemical filter

FRAME:

- Steel frame, Magnelis, Fe, Stainless steel, Fe-Zn
- Fire rating EI30-EI90, P3-P2
- Mineral wool or polyurethane insulation

ROTOR:

- Sorption, high temperature, painted versions
- Washing units. Pressurized hot/cold water systems and compressed air cleaning systems




CLIMAPRO 10RW – 20RW – 30RW

FOR INDUSTRY BUILDINGS AND PROCESS VENTILATION



- 10-30 m^3/s
- Prefabricated for easy assembly on site
- Integrated components
- "Plug and play"





HEAT RECOVERY AHU

- $70 \text{ m}^3/\text{s}$
- Filtration, heaters, noise reducers
- Rotary heat exchanger
- Modular frame

SUPPLY AIR UNIT

- 10S (container version)
- 20S
- 40S
- 60S

OPTIONS:

- Heating and cooling
- Heat pump solutions
- Humidifier
- Bag filters G3,M5,F7,F9
- HEPA filter
- Chemical filter

FRAME:

- Steel frame, Magnelis, Fe, Stainless steel, Fe-Zn
- Fire rating EI30-EI90, P3-P2
- Mineral wool or polyurethane insulation



CUSTOM MODULAR SYSTEM
ClimaPro 2W-CH+10W-CO



OUTDOOR UNITS ONE OFF



- Specification according to customer's requirements
- Supply and heat recovery systems
- Capacity of units' 5 – 60 m^3/s

ENGINEERING FEED:

- Pre-engineering
- Structural engineering
- Selection of components
- Cost estimate EPC
- Drawings and IFC-model
- Product specifications

OPTIONS:

- Optional steel frame material
- Frame insulation
- Fire rating
- Heating and cooling
- Heat recovery
- Bag filters
- G3,M5,F7,F9
- HEPA filter
- Chemical filter



INDUSTRIAL REFERENCES



- UPM-KYMMENE
- METSÄ GROUP
- WÄRTSILÄ
- WALKI
- BILLERUD KORSNÄS
- ANDRITZ
- MIRKA
- AMADA
- QMG GROUP
- BOAT INDUSTRY



PARTNERS

- Leinolat Group
- subcontractors





ClimaPro

Greener Industries